

HARVIA VIRT

HL110400S

The Virta Combi is a combined electric heater and steamer that provides a variety of sauna experiences.

Advantages

- The Virta Combi is a combined electric heater and steamer with sturdy structure for home sauna and professional use
- The large number of stones guarantees soft and abundant steam. Efficient air circulation heats the sauna very quickly
- Sleek and modern design
- The steamer is on the front behind the maintenance hatch
- The heating elements are separated from the stones, which results in a long heating element life span



Features

Main material : Steel


H x W x D : 810.0 x 415.0 x 485.0 mm

Net weight (kg) : 29.6

Installation location : Floor

ID	GTIN	Output (kW)	Sauna room size min - max m3
HL110400S	6410082613199	11 kW	9.0-18.0

Related products



SFE-500500



HL1



HL4



HL3L


Spare parts

Product	ID	Pcs
Soapstone cup Ø 46/36	ZH-205	1
Virta Combi, watertank complete, manual	ZCU-600	1
Adjustable leg	ZSA-440	
Water tank manual complete, Virta Combi	SPZCU-600	
Soapstone cup Ø 46/36, grey	SPZH-205	
Heating element 2000W 230V	SPZH-104	1
Overheating limiter switch, Combi heaters	SPZSK-764	1
Heating element 3600W 230V	SPZCU-836	3
Water tank Virta Pro complete	SPZCU-115	1
Virta Combi steam guide	SPZCU-614	1


Technical details

Technical data	Type / attribute	HL110400S
	Color	Black
	Power output	11 kW
	Stone amount (kg)	70
Dimensions	Product width	415
	Product height	810
	Product depth (mm)	485
	Net weight (kg)	29.6
	Gross weight	32
	Package width	560
	Package height	870
	Package depth	505
Safety and installation dimensions	Safety distance front (non-combustible materials)	30
	Safety distance right side non-combustible materials	30
	Safety distance left side non-combustible materials	30
	Safety distance side (non-combustible materials)	30
	Safety distance behind (non-combustible materials)	30
	Safety distance (Ceiling)	1100
	Room min. height(depends on connections and therefore from output, star/delta)	1900


Technical images




Minimum safety distances (all dimensions in millimeters)



Installing the temperature sensor (all dimensions in millimeters)



Electrical connections



Electrical connections of control unit C105S and HL5(A) heater